

O20M	7.67100	Propustek max. kap: <Q1			0.7	453.51	1.2	453.67	2.3	464.91	3.6	453.84	5	453.85	7.4	453.9	9.8	453.97
60	7.84192	456.59	456.94	457.25	0.7	456.74	1.2	456.8	2.3	456.91	3.6	457.08	5	457.5	7.4	457.69	9.8	457.83
O21H	7.84850	Hráz			0.7	460.43	1.2	460.51	2.3	460.64	3.6	460.75	5	460.85	7.4	460.96	9.8	461.04
61	8.01177	460.58	461.02	461.1	0.5	460.97	0.9	460.97	1.7	461	2.6	461.01	3.7	461.05	5.5	461.03	7.2	461.06
62	8.12963	462.24	463.26	462.92	0.5	462.51	0.9	462.74	1.7	462.97	2.6	463.09	3.7	463.16	5.5	463.33	7.2	463.4
O22M	8.13400	Propustek max. kap: Q1			0.5	462.69	0.9	463.25	1.7	463.39	2.6	463.43	3.7	463.49	5.5	463.54	7.2	463.6
O23Z	8.18800	Zatrubnění max. kap: Q5			0.5	464.56	0.9	464.7	1.7	464.91	2.6	465.7	3.7	465.78	5.5	465.68	7.2	465.68
63	8.23881	464.15	465.55	465.8	0.5	464.65	0.9	464.86	1.7	465.4	2.6	465.82	3.7	465.86	5.5	465.9	7.2	465.96
O24M	8.24800	Propustek max. kap: Q2			0.5	464.99	0.9	465.31	1.7	465.79	2.6	465.96	3.7	466.02	5.5	466.12	7.2	466.22
64	8.26834	464.53	465.57	465.58	0.5	465.02	0.9	465.32	1.7	465.8	2.6	465.96	3.7	466.02	5.5	466.12	7.2	466.22
O25M	8.28800	Propustek max. kap: Q1			0.5	465.22	0.9	465.67	1.7	465.94	2.6	465.99	3.7	466.08	5.5	466.22	7.2	466.38
65	8.29634	464.93	465.85	466.13	0.5	465.27	0.9	465.39	1.7	465.94	2.6	466.1	3.7	466.23	5.5	466.42	7.2	466.55
O26M	8.30100	Propustek max. kap: Q2			0.5	465.49	0.9	466	1.7	466.33	2.6	466.43	3.7	466.53	5.5	466.63	7.2	466.72
66	8.32359	465.81	467.7	466.18	0.5	466.18	0.9	466.25	1.7	466.42	2.6	466.58	3.7	466.69	5.5	466.86	7.2	467
O27H	8.41435	Hráz			0.5	467.5	0.9	468.41	1.7	471.61	2.6	472.33	3.7	472.36	5.5	472.43	7.2	472.46
67	8.79096	472.59	473.03	473.36	0.5	472.92	0.9	473.2	1.7	473.22	2.6	473.35	3.7	473.48	5.5	473.64	7.2	473.74
O28M	8.79600	Propustek max. kap: Q1			0.5	473.85	0.9	474.25	1.7	474.3	2.6	474.34	3.7	474.39	5.5	474.44	7.2	474.48
68	8.90399	475.14	475.55	475.62	0.3	475.43	1	475.57	1.5	475.64	2	475.7	2.5	475.74	3	475.78	4	475.84
69	9.08735	481.8	482.7	482.53	0.3	482.08	1	482.25	1.5	482.34	2	482.41	2.5	482.47	3	482.53	4	482.62
70	9.22347	487.15	487.8	487.97	0.3	487.4	1	487.55	1.5	487.62	2	487.69	2.5	487.74	3	487.79	4	487.92
O29M	9.24000	Propustek max. kap: Q1			0.3	488.46	1	488.88	1.5	488.92	2	488.98	2.5	488.98	3	489.02	4	489.08
71	9.35886	492.85	493.46	493.44	0.3	493.11	1	493.27	1.5	493.34	2	493.39	2.5	493.44	3	493.45	4	493.48